



मुख्य संपादक : सुनील कृष्णाजी पोतदार

रायगडसह ताणे, नवी मुंबई, मुंबई, पुणे येथून प्रकाशित

• वर्ष १७ वे • अंक २२१ • MAHMAR/2006/17212 • रायगड • शुक्रवार दि. ११ नोव्हेंबर २०२२ • किंमत १ रु www.raigadnagari.com

स्थानिक व प्रकल्पग्रस्तांना नोकरीत समावेशनावाबत

जेएनपीए बंद्रात मनसेचे गेट बंद आंदोलन

दै.रायगड नगरी | उरण

उरण तालुक्यातील स्थानिक व प्रकल्पग्रस्त रहिवाशांना नोकरीमध्ये सामावून घेण्यात यावे, तसेच कोली बांधवांना न्याय मिळवा या उद्देशाने उरण तालुका महाराष्ट्र नवनिर्माण सेनेच्या पदाधिकारी व कार्यकर्त्त्यांनी जेएनपीए बंद्रात्यावर धडक देत गे गेट बंद आंदोलन छेडले होते. मनसेच्या या अंदोलनामुळे जेएनपीए रस्त्यावर तीन तास मोठ्या प्रमाणात वाहतूक कोळीची समस्या निर्माण झाली होती.

महाराष्ट्र नवनिर्माण सेनेचे नेते राज ठाकरे यांच्या आंदेशानुसार उरण तालुक्यातील स्थानिक, प्रकल्पग्रस्त तरुणांना रोजगाराची संधी उपलब्ध करून देण्यासाठी तसेच सतत्या समुद्रात होण्याचा भरावामुळे संकटात सापडलेल्या तालुक्यातील कोली बांधवांना, मध्यांतरीना न्याय मिळवून देण्यासाठी मनसेचे नेते तथा पालघर ठाणे जिल्हा अध्यक्ष अविनाश जाधव आणि मनसेचे रायगड अध्यक्ष संदेश ठाकूर यांच्या नेतृत्वाखाली जेएनपीए बंद्रात्यावर अंतर्गत येण्याचा चौथ्या पोर्टच्या प्रवेशद्वारावर धडक देत गे गेट बंद आंदोलन छेडले होते.

रामशेठ ठाकूर पब्लिक स्कूलने पटकाविले देशात अव्वल स्थान; ११ नोव्हेंबरला दिलीत होणार भारत सरकारच्यावतीने सन्मान

दै. रायगड नगरी | पनवेल

माजी खासदार लोकनेते रामशेठ ठाकूर यांच्या मार्गदर्शनाखाली कार्यरत असलेल्या जनार्दन भगत शिक्षण प्रसारक संस्थेच्या खासदार येथील रामशेठ ठाकूर पब्लिक स्कूलने देशातील सर्वात स्वच्छ विद्यालयाचा होण्याचा मान पटकावत विशेष प्राविष्ट्यासह देशात अव्वल स्थान मिळविले आहे. भारत सरकारच्यावतीने 'स्वच्छ विद्यालय राष्ट्रीय पुरस्कार' चा बहुमान मिळवणारे रायगड, नवी मुंबईतील हे एकमेव विद्यालय ठरले असून रायगड जिल्ह्याचा गोरव वैर्धीगत करणारी अभिमानास्पद कामगिरी आहे.

भारत सरकारच्या वरीने स्वच्छ विद्यालय पुरस्कार २०२१-२२ साठी शाळांचे नामांकन मागविण्यात आले होते. त्यामध्ये महाराष्ट्रातून १ लाख ०३ हजार शाळांनी पुरस्कारासाठी नामांकन केले होते.

त्या मधून जिल्हा व राज्य पातळीवर सर्वेक्षण करून माध्यमिक व उच्च माध्यमिक स्तरावर रामशेठ ठाकूर पब्लिक स्कूल, खासदार या शाळेला भारत सरकार व युनिसेफ यांच्यातर्फे राष्ट्रीय स्वच्छ विद्यालय पुरस्कार २०२१ - २२ जाहीर करण्यात आला आहे. आणि हा पुरस्कार ११ नोव्हेंबर २०२२ रोजी दिली येथे होणाऱ्या समारंभात केंद्रीय शिक्षण मंत्री यांच्या हस्ते प्रदान करण्यात येणार आहे.

तप्पूर्वी आज (गुरुवार, दि. १० नोव्हेंबर) रायगड जिल्हा परिषदवर मुख्य



खासदार या शाळेला राज्यस्तरीय प्रथम

कार्यकारी अधिकारी डॉ. किरण पाटील यांच्या हस्ते रामशेठ ठाकूर पब्लिक स्कूलच्या मुख्याध्यापिका राज अलोनी, हेड बॉय्स मास्टर आदेश परेश ठाकूर आणि शाळेच्या कोऑर्डिनेटरस यांचा सन्मान करण्यात आली. त्यामध्ये महाराष्ट्रातून माध्यमिक व उच्च माध्यमिक स्तरावर रामशेठ ठाकूर पब्लिक स्कूल, खासदार या शाळेला भारत सरकार व युनिसेफ यांच्यातर्फे राष्ट्रीय स्वच्छ विद्यालय पुरस्कार २०२१ - २२ जाहीर करण्यात आला आहे. आणि हा पुरस्कार ११ नोव्हेंबर २०२२ रोजी दिली येथे होणाऱ्या समारंभात केंद्रीय शिक्षण मंत्री यांच्या हस्ते प्रदान करण्यात येणार आहे.

तप्पूर्वी आज (गुरुवार, दि. १० नोव्हेंबर) रायगड जिल्हा परिषदवर मुख्य

अडीच वर्षाच्या प्रतीक्षेनंतर अखेर वन खात्याने श्रीवर्धन समुद्रकिनारी सुरुची लागवड केली

दै. रायगड नगरी | श्रीवर्धन

३ जून २०२० रोजी संपूर्ण जगामध्ये कोरोना महामारीचे थेन मुरु असताना अरबी समुद्रात तयार झालेले निसर्ग चक्रीवादळ श्रीवर्धन व हरिहरेश्वर समुद्रकिनार्यावरती धडकले. या दोन्ही परिसरामध्ये अक्षरश: हाःहाःकार माजला. ८० टक्के नागरिकांच्या घरावरील छपरे उडून गेली होती, तर ज्या इमारती अस्तित्वात होत्या त्यांच्या शेवटच्या स्तर्बवरील पत्राच्या शेड देखील पूर्णपणे उडून गेल्या होत्या.

श्रीवर्धन शहरातील वीज पुरवठा सुरक्षी होण्यासाठी तब्बल एक महिन्याचा कालावधी लागला होता. तर हरिहरेश्वर परिसरात साडेतीन महिन्यांतर वीज पुरवठा सुरक्षी करण्यात महावितरणला यश आले होते. या सर्व नुकसानी बरोबरच श्रीवर्धन व हरिहरेश्वर येथील नारळ सुपारी बागायतदारांचे अलोनात नुकसान झाले. नारळ सुपारीच्या वाडी मध्ये असलेली असंख्य नारळाची, सुपारीची झाडे अर्धावरुन मोडून पडली किंवा जमीन

दोस्त झाली. त्याचबरोबर वाडीमध्ये पूरक पीक म्हणून घेण्यात येणारे कोकम, फणस, आंबा इत्यादी फलझाडे देखील जवळजवळ नष्ट झाली.

काही वर्षांपूर्वी श्रीवर्धन समुद्रकिनार्यावरती केवड्याची मोठ मोठी बने होती. या केवड्याच्या बना मुळे किंतुही जोरात वारा आला तरी तो अडला जात असे व त्या वाच्या पासून गावाचे संरक्षण होत असे. २००१ साली देखील वनखात्याने केवड्याची बने नष्ट झाल्यामुळे श्रीवर्धन समुद्रकिनारी जवळजवळ दहा हजार सुरुच्या झाडांची लागवड केली होती. परंतु निसर्ग चक्रीवादळच्या

धडाक्यामुळे यातील ७० ते ८०% सुरुची झाडे उन्मलून पडली तर काही अर्धावरुन मोडली.

मात्र श्रीवर्धन समुद्रकिनारी पुऱ्हा सुरुची लागवड करण्यासाठी वनखात्याला अडीच वर्षांचा कालावधी लागलेला आहे. आता लावलेली सुरुची झाडे मोठी होण्यासाठी कमीत कापी सात ते आठ वर्षांचा कालावधी लागणार आहे. त्यानंतर सुरुच्या झाडांचा प्रत्यक्षात वारा आडण्यासाठी उपयोग होणार आहे. मात्र उशिरा का होइना वनविभागाने सुरुची झाडे लावल्याने नागरिकांमधून वनविभागाला धन्यवाद देण्यात येत आहेत.



सिड्को
शहरांचे शिल्पकार

Provided that such FSI computed as above shall be permissible to those who have opted to avail the compensation in terms of FSI instead of monetary compensation worked out in Form No. 1 of the Final Scheme.

Provided further that, the lands eligible of 1.00 FSI as per sanctioned DCPRs of NAINA (i.e within 200 m of Gaonthan), if included in TPS shall be permitted 25% additional incentive FSI in lieu of their 60% land contribution to the project. The FSI of the final plot (whether anchored at its original location or otherwise) against such land parcels shall be increased in proportion to its area, irrespective of whether the final plot is a standalone plot or amalgamated with other land parcels.

12. The permissible FSI in respect of Final Plots, whose owners have been awarded monetary compensation as per Form No. 1 of the Final Scheme prescribed under Rule No. 6(v) of the Maharashtra Town Planning Schemes Rules, 1974 shall be 1.00
 13. If the FSI permissible on a final plot becomes remain unconsumed due to maintain prescribed marginal distances / height restriction/ firefighting requirements or any such statutory restrictions, in such cases the balance FSI over and above FSI consumed may be permitted to be transferred as TDR to any Plot situated in any Town Planning Schemes and phase-I area of NAINA Development Plan subject to;
 - i. The provision of Regulations no. 43 of the sanctioned DCPR of NAINA shall be applicable.
 - ii. Such transfer of development right from a final plot to another Final Plot shall be permitted once only.
 - iii. The aggregate FSI in a receiving Final Plot shall not exceed 4.00
 - iv. The owner transferring the FSI shall not develop his Final Plot at any time to consume FSI more than 1.00
 - v. The Final Plot after such transfer shall not be eligible for any additional FSI/TDR in future.
 - vi. The owner of such Final Plot shall not ask for monetary compensation for balance FSI if any after partially transferring the FSI received in lieu of monetary compensation as TDR.
 14. The permissible FSI in respect of Final Plots designated to Amenity Plots or to schools, primary health center shall be 2.5.
 15. The permissible FSI in respect of Final Plots designated to Electric Sub-Station, Daily Bazaar, ESR/GSR in the scheme shall be 1.00.
 16. The permissible FSI in respect of Final Plots designated to EWS/LIG Housing or Housing of the dispossessed persons or Final Plots reserved as Sale plots in this scheme shall be 4.00.
 17. The permissible FSI in respect of Final plots designated to Growth center in this scheme shall be 2.5.
- Provided that the aforesaid FSI may be increases maximum upto 4.0 on payment of FSI linked premium (FPL) for over and above 2.5 FSI as prescribed in the sanctioned DCPR of NAINA for every increase of FSI of 0.30.
18. The Final Plots designated for Open Spaces, Parks or Play-Grounds are permissible to built-up area equal to 15 % of the respective final plot area subject to ground coverage up to 10 % of the respective final plot and structures shall be only of ground or ground plus one floor. Such structure shall be at one corner of respective final plot and shall be used for any use complementary to the designated use
 19. Side and Rear Marginal Spaces

Area of plot	Category of building	Maximum permissible height of the building	Min Marginal Open Spaces (in M.)	
			Side	rear
1000 M ² and above	Detached type	Upto 15 M	3.00	3.00
		Above 15 M Upto 24.0 M	H/5	H/5
		Above 24.0M Upto 37.5 M	6.00	6.00
		Above 37.5 M upto 60.0 M	H/5 or 9.00m whichever is less	H/5 or 9.00m whichever is less
		Above 60.00 M	12.00	12.00

(Where H = Height of the building above ground level).

- a) Irrespective of height and length of the buildings, the marginal open spaces more than 12.0 M shall not be insisted upon. Long length factor for buildings above 40meter length shall not be applicable.
 - b) The provision of dead wall mentioned in sanctioned DCPRs of NAINA shall be applicable.
 - c) For special building use No projections of any sort shall be permissible in the side and rear marginal open spaces mentioned above. Provided that projections required for firefighting and chajja or weather shed upto 0.75 m over openings shall be permitted after clearance from CFO, CIDCO along with the minimum height at which it is to be provided.
 - d) Provision of front open spaces shall be in accordance with sanctioned DCPRs of NAINA. However, Front open space for residential use and predominantly residential use (in case of mixed use) buildings of height more than 15m upto 24 m shall be 4.5m and for above 24 m building height front open space shall be 6.0 m.
 - e) The building height for the purposes of light and ventilation regulation and for calculating the marginal distances shall be exclusive of height of parking floors. In case of part parking floor such provision shall be applicable only to the part where parking is provided.
20. Mechanical/Hydraulic/Stack parking/multi-storeyed parking with or without car lift may be allowed to meet the requirement.
21. If the basement is proposed flushing to average surrounding ground level, then such basement can be extended in side and rear margins upto 1.5 m. from the plot boundary and beyond the building lines at ground level subject to a clear minimum front margin of 4.5 m and further subject to non-habitable uses and provision for mechanical ventilation and all safety provisions and drainage. However, it is essential that the basement top slab below the external circulation at ground level should be designed for firefighting vehicular loads as per NBC 2016. Provided that the above provision shall be permissible after the clearance from the Chief Fire Officer, CIDCO.
22. Every building or group of buildings together shall be either connected to a Drainage system or be provided with sub-soil dispersion system in the form of septic tank of suitable size and technical specifications, modern methods of disposals, shall be permitted at the discretion of the Authority.
23. The service road of the State highways and National highways shall be considered for the access to the plot. Further the plots along the other categorized roads such as Major District roads/ Village roads shall be directly accessible from these roads. In both the cases for final plots in Town Planning scheme, Ribbon development rules shall not be applicable.
24. The distance between two main buildings in a final plot shall be that required to be provided for a taller building amongst them subject to 12.0m as maximum.
25. Construction within River and blue line: Construction within River and Blue line may be permitted at a height of 0.60 m. above red flood line level. Provided that necessary mitigation measures are followed along with clearance from Irrigation department.
26. Grant of Development Permission does not constitute acceptance of correctness, confirmation, approval or endorsement of and shall not bind or render the competent authority liable in any way in regard to;
 - a. Title Ownership and easement right of the plot on which building is proposed.
 - b. Workmanship, soundness of material and structure safety of building.
 - c. Variation in area from recorded areas of building unit.
 - d. Location and boundary of building unit.
 - e. Safety of the user of the building.
 - f. NOC from appropriate authority.
 - g. Structural reports and Structural drawing

स्थळ: नवी मुंबई
दिनांक: २१ ऑक्टोबर २०२२

नोंदीकृत कार्यालय: निर्मल, २ रा मजला,
नरीमन पॉर्ट, मुंबई ४०००२९.

डॉ. संजय मुखर्जी
उपाध्यक्ष व व्यवस्थापकीय संचालक,
सिड्को

Place :-Navi Mumbai
Date:-21.10.2022
Regd. Office: Nirmal, 2nd floor,
Nariman point, Mumbai-400021.

Dr. Sanjay Mukherjee
Vice Chairman & Managing Director,
CIDCO

